



ESF/A*

Solar Street Light




LIGHTING MODE


- ★ 6+X: High output for the first 6 hours, 30% till dawn.
- ★ If you want different lighting mode, please use remote control to adjust brightness & working time.

Model	Solar Panel	Battery	CCT	Luminous Flux
ESF/A1	5V/20W	3.2V/10Ah LiFePO4	6500K	800lm
ESF/A4	5V/50W	3.2V/40Ah LiFePO4	6500K	3000lm
ESF/A6	5V/70W	3.2V/60Ah LiFePO4	6500K	4200lm


DIMENSION



ESF/A1




ESF/A4



ESF/A6

ADVANTAGE




LiFePO₄ Battery

- With LiFePO₄ battery, high safety, long life span.



LED Lamp Beads

- High lumen LED lamp beads , with 100000 hrs life span.



Mono-crystalline Solar Panel

- Better light utilization and current collection, effectively improve product power output and reliability.



Gold Plated Plug

- Safe and risk-free.
- No worry about connection and short circuit.



Aluminum Magnesium Alloy Lamp Case

- High quality aluminum magnesium alloy.
- Original patent design, independent mould.




PC Outdoor Optical Lens


- High light transmittance, high temperature resistance and aging resistance.

PRODUCT DETAILS

- | | |
|--|---------------------------------------|
| 1. PC Outdoor Optical Lens | 5. LiFePO4 Battery |
| 2. LED Lamp Beads | 6. Aluminum Magnesium Alloy Lamp Case |
| 3. Control & Drive Integrated Lamp Board | 7. Bracket |
| 4. Heat sink | 8. Gold Plated Plug |



HOW TO USE REMOTE CONTROL



- ON key: turn on
- OFF key: turn off
- AUTO key: Reset, 6+X overnight lighting mode
- 6H key: lights off after 6 hours
- 8H key: lights off after 8 hours
- 85% key: reduce 15% power
- 70% key: reduce 30% power

